

## 9 Global crop simulations

### 9.1 Scenarios

5 Crop-model simulations should be provided as pure crop runs (i.e. assuming that each crop grows everywhere), so that future LU patterns can be applied in post-processing ensuring maximum flexibility. Simulations should be provided for the four major crops (wheat, maize, soy, and rice). For each crop there should be a full irrigation run (firr) and a no-irrigation run (noirr).

Those models that cannot simulate time varying management/human impacts/fertilizer input should keep these fixed at year 2005 levels throughout the simulations (“2005soc” scenario in Group 1 (dashed line in **Figure 1**) and “2005soc” scenario in Group 2). They only need to run the first preindustrial period of Experiment I (1661-1860). Group 3 runs only refer to models that are able to represent future changes in human management (varying crop varieties or fertilizer input).

Climate & CO <sub>2</sub> scenarios	
<b>picontrol</b>	Pre-industrial climate and 286ppm CO <sub>2</sub> concentration. The climate data for the entire period (1661-2299) are unique – no (or little) recycling of data has taken place.
<b>historical</b>	Historical climate and CO <sub>2</sub> concentration.
<b>rcp26</b>	Future climate and CO <sub>2</sub> concentration from RCP2.6
<b>rcp60</b>	Future climate and CO <sub>2</sub> concentration from RCP6.0
Human influence & land-use scenarios	
<b>1860soc</b>	Pre-industrial levels of fertilizer input.
<b>histsoc</b>	Varying historical fertilizer input.
<b>2005soc</b>	Fixed year 2005 management
<b>2005co2</b>	Fixed year 2005 levels of CO <sub>2</sub> at 378.81ppm.
<b>rcp26soc</b>	Varying level of fertilizer input and varying crop varieties associated with SSP2 and RCP2.6
<b>rcp60soc</b>	Varying level of fertilizer input and varying crop varieties associated with SSP2 and RCP6.0
<b>2100rcp26soc</b>	Fertilizer input and crop varieties fixed at year 2100.

**Table 19** ISIMIP2b scenarios for global crop simulations. \*Option 2 only if option 1 not possible.

Experiment		Input	Pre-industrial 1661-1860	Historical 1861-2005	Future 2006-2099	Extended future 2100-2299
<b>I</b>	no climate change, pre-industrial CO <sub>2</sub>	Climate & CO <sub>2</sub>	<b>picontrol</b>	<b>picontrol</b>	<b>picontrol</b>	<b>picontrol</b>
	varying management until 2005, then fixed at 2005 levels thereafter	Human & LU	Option 1*: <b>1860soc</b>	Option 1*: <b>histsoc</b>	<b>2005soc</b>	<b>2005soc</b>
			Option 2*: <b>2005soc</b>	Option 2*: <b>2005soc</b>		
<b>II</b>	RCP2.6 climate & CO <sub>2</sub>	Climate & CO <sub>2</sub>	Experiment I	<b>historical</b>	<b>rcp26</b>	<b>rcp26</b>
	varying management until 2005, then fixed at 2005 levels thereafter	Human & LU		Option 1*: <b>histsoc</b>	<b>2005soc</b>	<b>2005soc</b>
				Option 2*: <b>2005soc</b>		
<b>Ila</b>	RCP2.6 climate, CO <sub>2</sub> after 2005 fixed at 2005 levels	Climate	Experiment I	Experiment II	<b>rcp26, 2005co2</b>	<b>rcp26, 2005co2</b>
	varying management until 2005, then fixed at 2005 levels thereafter	Human & LU			<b>2005soc</b>	<b>2005soc</b>
<b>III</b>	RCP6.0 climate & CO <sub>2</sub>	Climate & CO <sub>2</sub>	Experiment I	Experiment II	<b>rcp60</b>	not simulated
	varying management until 2005, then fixed at 2005 levels thereafter	Human & LU			<b>2005soc</b>	
<b>IV</b>	no climate change, pre-industrial CO <sub>2</sub>	Climate & CO <sub>2</sub>	Experiment I	Experiment I	<b>picontrol</b>	<b>picontrol</b>
	varying management up to 2100 (RCP2.6), then fixed at 2100 levels thereafter	Human & LU			<b>rcp26soc</b>	<b>2100rcp26soc</b>
<b>V</b>	no climate change, pre-industrial CO <sub>2</sub>	Climate & CO <sub>2</sub>	Experiment I	Experiment II	<b>picontrol</b>	not simulated
	varying management (RCP6.0)	Human & LU			<b>rcp60soc</b>	
<b>VI</b>	RCP2.6 climate & CO <sub>2</sub>	Climate & CO <sub>2</sub>	Experiment I	Experiment II	<b>rcp26</b>	<b>rcp26</b>

	varying management up to 2100 (RCP2.6), then fixed at 2100 levels thereafter	Human & LU			rcp26soc	2100rcp26soc
VII	RCP6.0 climate & CO <sub>2</sub>	Climate & CO <sub>2</sub>	Experiment I	Experiment II	rcp60	
	varying management (RCP6.0)	Human & LU			rcp26soc	

## 9.2 Output data

**Table 20** Variables to be reported by crop models

Variable	Variable name	Resolution	Unit	Comments
Key model outputs				
Crop yields	yield_<crop>	annual (0.5°x0.5°)	dry matter (t ha <sup>-1</sup> yr <sup>-1</sup> )	
Irrigation water withdrawal (assuming unlimited water supply)	pirrww_<crop>	annual (0.5°x0.5°)	mm yr <sup>-1</sup>	<i>Irrigation water withdrawn in case of optimal irrigation (in addition to rainfall), assuming no losses in conveyance and application.</i>
Key diagnostic variables				
Actual evapotranspiration	aet_<crop>	annual (0.5°x0.5°)	mm yr <sup>-1</sup>	portion of all water (including rain) that is evapo-transpired, the water amount should be accumulated over the entire growing period ( <b>not</b> the calendar year)
Nitrogen application rate	initr_<crop>	annual (0.5°x0.5°)	kg ha <sup>-1</sup> yr <sup>-1</sup>	Total nitrogen application rate. If organic and inorganic amendments are applied, rate should be reported as inorganic nitrogen equivalent (ignoring residues).

Actual planting dates	plant-day_<crop>	annual (0.5°x0.5°)	Day of year	Julian dates
Actual planting year	plant-year_<crop>	annual (0.5°x0.5°)	Year of planting	Attention: This is an additional output compared to the ISIMIP2a reporting. It allows for clear identification of planting that is also easy to follow for potential users from outside the project
Anthesis dates	anth-day_<crop>	annual (0.5°x0.5°)	Day of year of anthesis	Attention: This has changed compared to the ISIMIP2a reporting where we asked for the "day from planting date". Together with the year of anthesis added to the list of outputs (see below) it allows for clear identification of anthesis that is also easy to follow for potential users from outside the project
Year of anthesis	anth-year_<crop>	annual (0.5°x0.5°)	year of anthesis	Attention: This is an additional output compared to the ISIMIP2a reporting. It allows for clear identification of anthesis that is also easy to follow for potential users from outside the project
Maturity dates	maty-day_<crop>	annual (0.5°x0.5°)	Day of year of maturity	Attention: This has changed compared to the ISIMIP2a reporting where we asked for the "day from planting date". Together with the year of maturity added to the list of outputs (see below) it allows for clear identification of maturity that is also easy to follow for potential users from outside the project

Year of maturity	maty- year_<crop>	annual (0.5°x0.5°)	year of maturity	Attention: This is an additional output compared to the ISIMIP2a reporting. It allows for clear identification of maturity that is also easy to follow for potential users from outside the project
Additional output variables (optional)				
Biomass yields	biom_<crop>	annual (0.5°x0.5°)	Dry matter (t ha <sup>-1</sup> yr <sup>-1</sup> )	
Soil carbon emissions	sco2_<crop>	annual (0.5°x0.5°)	kg C ha <sup>-1</sup>	Ideally should be modeled with realistic land-use history and initial carbon pools. Subject to extra study.
Nitrous oxide emissions	sn2o_<crop>	annual (0.5°x0.5°)	kg N <sub>2</sub> O-N ha <sup>-1</sup>	Ideally should be modeled with realistic land-use history and initial carbon pools. Subject to extra study.